



# System Programs



- System programs provide a **convenient environment for program development and execution**. They can be divided into:
  - File manipulation
  - Status information sometimes stored in a File modification
  - Programming language support
  - Program loading and execution
  - Communications
  - Background services
  - Application programs
- Most users' view of the operation system is defined by system programs, not the actual system calls



# System Programs



- Provide a convenient environment for program development and execution
  - Some of them are simply user interfaces to system calls; others are considerably more complex
- **File management** - Create, delete, copy, rename, print, dump, list, and generally manipulate files and directories
- **Status information**
  - Some ask the system for info - date, time, amount of available memory, disk space, number of users
  - Others provide detailed performance, logging, and debugging information
  - Typically, these programs format and print the output to the terminal or other output devices
  - Some systems implement a **registry** - used to store and retrieve configuration information



# System Programs (Cont.)



- **File modification**
  - Text editors to create and modify files
  - Special commands to search contents of files or perform transformations of the text
- **Programming-language support** - Compilers, assemblers, debuggers and interpreters sometimes provided
- **Program loading and execution**- Absolute loaders, relocatable loaders, linkage editors, and overlay-loaders, debugging systems for higher-level and machine language
- **Communications** - Provide the mechanism for creating virtual connections among processes, users, and computer systems
  - Allow users to send messages to one another's screens, browse web pages, send electronic-mail messages, log in remotely, transfer files from one machine to another



# System Programs (Cont.)



- **Background Services**
  - Launch at boot time
    - Some for system startup, then terminate
    - Some from system boot to shutdown
  - Provide facilities like disk checking, process scheduling, error logging, printing
  - Run in user context not kernel context
  - Known as **services**, **subsystems**, **daemons**
- **Application programs**
  - Don't pertain to system
  - Run by users
  - Not typically considered part of OS
  - Launched by command line, mouse click, finger poke



# Operating System Design and Implementation



- Design and Implementation of OS not “solvable”, but some approaches have proven successful
- **Internal structure** of different Operating Systems can vary widely
- Start the design by **defining goals and specifications**
- Affected by choice of hardware, type of system
- **User** goals and **System** goals
  - **User goals** – operating system should be convenient to use, easy to learn, reliable, safe, and fast
  - **System goals** – operating system should be easy to design, implement, and maintain, as well as flexible, reliable, error-free, and efficient



# Operating System Design and Implementation (Cont.)



- Important principle to separate  
**Policy:** *What* will be done?  
**Mechanism:** *How* to do it?
- Mechanisms determine how to do something, policies decide what will be done
- The separation of policy from mechanism is a very important principle, it allows **maximum flexibility** if policy decisions are to be changed later (example – timer)
- Specifying and designing an OS is highly creative task of **software engineering**



# Implementation



- Much variation
  - Early OSES in **assembly language**
  - Then system programming languages like Algol, PL/1
  - Now C, C++
- Actually usually a mix of languages
  - Lowest levels in assembly
  - Main body in C
  - Systems programs in C, C++, scripting languages like PERL, Python, shell scripts
- More high-level language easier to **port** to other hardware
  - But slower
- **Emulation** can allow an OS to run on non-native hardware