



Evolution of Operating System



Very Brief History of OS

- Several Distinct Phases:
 - Hardware Expensive, Humans Cheap
 - Eniac, ... Multics




Thomas Watson was often called “the worlds greatest salesman” by the time of his death in 1956



Very Brief History of OS



- Several Distinct Phases:
 - Hardware Expensive, Humans Cheap
 - Eniac, ... Multics
 - Hardware Cheaper, Humans Expensive
 - PCs, Workstations, Rise of GUIs






Very Brief History of OS



- Several Distinct Phases:
 - Hardware Expensive, Humans Cheap
 - Eniac, ... Multics
 - Hardware Cheaper, Humans Expensive
 - PCs, Workstations, Rise of GUIs
 - Hardware Really Cheap, Humans Really Expensive
 - Ubiquitous devices, Widespread networking





Very Brief History of OS



- Rapid change in hardware leads to changing OS
 - Batch \Rightarrow Multiprogramming \Rightarrow Timesharing \Rightarrow Graphical UI \Rightarrow Ubiquitous Devices
 - Gradual migration of features into smaller machines
- Today
 - Small OS: 100K lines / Large: 10M lines (5M browser!)
 - 100-1000 people-years




OS Archaeology

- Because of the cost of developing an OS from scratch, most modern OSes have a long lineage:
- Multics → AT&T Unix → BSD Unix → Ultrix, SunOS, NetBSD,...
- Mach (micro-kernel) + BSD → NextStep → XNU → Apple OS X, iPhone iOS
- MINIX → Linux → Android OS, Chrome OS, RedHat, Ubuntu, Fedora, Debian, Suse,...
- CP/M → QDOS → MS-DOS → Windows 3.1 → NT → 95 → 98 → 2000 → XP → Vista → 7 → 8 → 10 → phone → ...



Migration of OS Concepts and Features





Today: Four Fundamental OS Concepts



- **Thread**
 - Single unique execution
 - Program Counter, Registers, Execution Flags, Stack
- **Address space (with translation)**
 - Programs execute in an *address space* that is distinct from the memory space of the physical machine
- **Process**
 - An instance of an executing program is *a process consisting of an address space and one or more threads of control*
- **Dual mode operation / Protection**
 - Only the “system” has the ability to access certain resources
 - The OS and the hardware are protected from user programs and user programs are isolated from one another by *controlling the translation* from program virtual addresses to machine physical addresses



Computing Environments – Traditional



- Stand-alone general purpose machines
- But blurred as most systems interconnect with others (i.e., the Internet)
- **Portals** provide web access to internal systems
- **Network computers (thin clients)** are like Web terminals
- Mobile computers interconnect via **wireless networks**
- Networking becoming ubiquitous – even home systems use **firewalls** to protect home computers from Internet attacks



Computing Environments – Mobile



- Handheld smartphones, tablets, etc
- What is the functional difference between them and a “traditional” laptop?
- Extra feature – more OS features (GPS, gyroscope)
- Allows new types of apps like ***augmented reality***
- Use IEEE 802.11 wireless, or cellular data networks for connectivity
- Leaders are **Apple iOS** and **Google Android**



Computing Environments – Distributed




- Distributed computing
 - Collection of separate, possibly heterogeneous, systems networked together
 - **Network** is a communications path, **TCP/IP** most common
 - **Local Area Network (LAN)**
 - **Wide Area Network (WAN)**
 - **Metropolitan Area Network (MAN)**
 - **Personal Area Network (PAN)**
 - **Network Operating System** provides features between systems across network
 - Communication scheme allows systems to exchange messages



Computing Environments – Client-Server

- Client-Server Computing
 - Dumb terminals supplanted by smart PCs
 - Many systems now **servers**, responding to requests generated by **clients**
 - ▶ **Compute-server system** provides an interface to client to request services (i.e., database)
 - ▶ **File-server system** provides interface for clients to store and retrieve files






Computing Environments – Peer-to-Peer



- Another model of distributed system
- P2P does not distinguish clients and servers
 - Instead all nodes are considered peers
 - May each act as client, server or both
 - Node must join P2P network
 - Registers its service with central lookup service on network, or
 - Broadcast request for service and respond to requests for service via ***discovery protocol***
 - Examples include Napster and Gnutella, **Voice over IP (VoIP)** such as Skype





Computing Environments – Virtualization



- Allows operating systems to run applications within other OSES
 - Vast and growing industry
- **Emulation** used when source CPU type different from target type (i.e. PowerPC to Intel x86)
 - Generally slowest method
 - When computer language not compiled to native code –
Interpretation
- **Virtualization** – OS natively compiled for CPU, running **guest** OSES also natively compiled
 - Consider VMware running WinXP guests, each running applications, all on native WinXP **host** OS
 - **VMM** (virtual machine Manager) provides virtualization services




Computing Environments – Virtualization



- Use cases involve laptops and desktops running multiple OSES for exploration or compatibility
 - Apple laptop running Mac OS X host, Windows as a guest
 - Developing apps for multiple OSES without having multiple systems
 - QA testing applications without having multiple systems
 - Executing and managing compute environments within data centers
- VMM can run natively, in which case they are also the host
 - There is no general purpose host then (VMware ESX and Citrix XenServer)



Computing Environments – Virtualization





Computing Environments – Cloud Computing




- Delivers computing, storage, even apps as a service across a network
- Logical extension of virtualization because it uses virtualization as the base for its functionality.
 - Amazon **EC2** has thousands of servers, millions of virtual machines, petabytes of storage available across the Internet, pay based on usage
- Many types
 - **Public cloud** – available via Internet to anyone willing to pay
 - **Private cloud** – run by a company for the company's own use
 - **Hybrid cloud** – includes both public and private cloud components
 - Software as a Service (**SaaS**) – one or more applications available via the Internet (i.e., word processor)
 - Platform as a Service (**PaaS**) – software stack ready for application use via the Internet (i.e., a database server)
 - Infrastructure as a Service (**IaaS**) – servers or storage available over Internet (i.e., storage available for backup use)



Computing Environments – Cloud Compu

- Cloud computing environments composed of traditional OSES, plus VMMs, plus cloud management tools
 - Internet connectivity requires security like firewalls
 - Load balancers spread traffic across multiple applications





Computing Environments – Real-Time Embedded Systems



- Real-time embedded systems most prevalent form of computers
 - Vary considerable, special purpose, limited purpose OS, **real-time OS**
 - Use expanding
- Many other special computing environments as well
 - Some have Oses, some perform tasks without an OS
- Real-time OS has well-defined fixed time constraints
 - Processing **must** be done within constraint
 - Correct operation only if constraints met



Open-Source Operating Systems



- Operating systems made available in source-code format rather than just binary **closed-source**
- Counter to the **copy protection** and **Digital Rights Management (DRM)** movement
- Started by **Free Software Foundation (FSF)**, which has “copyleft” **GNU Public License (GPL)**
- Examples include **GNU/Linux** and **BSD UNIX** (including core of **Mac OS X**), and many more
- Can use VMM like VMware Player (Free on Windows), Virtualbox (open source and free on many platforms - <http://www.virtualbox.com>)
 - Use to run guest operating systems for exploration