



# **SNS COLLEGE OF ENGINEERING**

Kurumbapalayam (Po), Coimbatore – 641 107

**An Autonomous Institution**

Accredited by NBA – AICTE and Accredited by NAAC – UGC with 'A' Grade

Approved by AICTE, New Delhi & Affiliated to Anna University, Chennai


## **DEPARTMENT OF ELECTRICAL AND ELECTRONICS ENGINEERING**

**COURSE NAME : 23EET01 BASIC ELECTRICAL AND ELECTRONICS ENGINEERING**

**I YEAR /II SEMESTER ARTIFICIAL INTELLIGENCE & DATA SCIENCE**

**Unit 2 – Electrical Machines**

**Three Phase Induction motor**





# 3 PHASE INDUCTION MOTORS

- Why do we need 3 phase motors?
- What 3 phase action motor do?
- How can I create the 3 phase motor?
- Why 3 phase motor rotates in circular motion?






# ROTATING MAGNETIC FIELD


- Balanced three phase windings, i.e. mechanically displaced 120 degrees from each other, fed by balanced three phase source
- A rotating magnetic field with constant magnitude is produced, rotating with a speed

Where  $f_e$  is the supply frequency and  $P$  is the no. of poles and  $n_{sync}$  is called the synchronous speed in rpm (revolutions per minute)



# PRINCIPLE OF OPERATION

Simple stator made of 3 pole pairs of coils around iron pole pieces




- Current enters coil A and leaves coils A'
- Magnetic flux set up in coils with North Pole at the bottom and South Pole at the top



# PRINCIPLE OF OPERATION

Changing which coils are energised alters direction of magnetic flux





# ASSESSMENT 1

1. The frame of an induction motor is usually made of
- a) Silicon steel
  - b) Cast iron
  - c) Aluminum
  - d) Bronze





# SLIP

$$s \equiv \frac{n_{sync} - n_m}{n_{sync}}$$

Where  $s$  is the *slip*

Notice that : if the rotor runs at synchronous speed

$$s = 0$$

if the rotor is stationary

$$s = 1$$

Slip may be expressed as a **percentage** by multiplying the above eq. by 100, notice that the slip is a ratio and doesn't have units



# SLIP BASED PROBLEMS

- Can you solve this

A 208-V, 10hp, four pole, 60 Hz, Y-connected induction motor has a full-load slip of 5 percent

1. What is the synchronous speed of this motor?
2. What is the rotor speed of this motor at rated load?
3. What is the rotor frequency of this motor at rated load?
4. What is the shaft torque of this motor at rated load?





# Assessment 2

1. A 3-phase 440 V, 50 Hz induction motor has 4% slip. The frequency of rotor current will be
- a) 50 Hz
  - b) 25 Hz
  - c) 5 Hz
  - d) 2 Hz





# REFERENCES

1. Bhattacharya. S.K, “Basic Electrical and Electronics Engineering”, Pearson Education , (2017)
2. Muthu Subramanian R, Salivahanan S,“ Basic Electrical and Electronics Engineering”, Tata McGraw Hill Publishers, (2009)
3. V.Mittle“ Basic Electrical Engineering”, Tata McGraw Hill Publishers, (2017)
4. Nagrath. I.J, “Electronics: Analog and Digital”, Prentice Hall India Pvt. Ltd., (2013)

## THANK YOU