



SNS COLLEGE OF ENGINEERING

Kurumbapalayam (Po), Coimbatore – 641 107

An Autonomous Institution

Accredited by NBA – AICTE and Accredited by NAAC – UGC with 'A' Grade

Approved by AICTE, New Delhi & Affiliated to Anna University, Chennai



DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING

COURSE NAME : 23ITT101- PROBLEM SOLVING AND C PROGRAMMING



I YEAR /I SEMESTER

Unit 2- C-Programming Basics

Topic 8: Looping statements

Brain Storming

1. How Decision making and Iterative statements are executed in C?





Loops in C



- In any programming language including C, loops are used to execute a set of statements repeatedly until a particular condition is satisfied.

- **Types of Loop**

- There are 3 types of Loop in C language, namely:

- **while loop**

- **for loop**

- **do while loop**




while loop



while loop can be addressed as an **entry control** loop. A while loop is a control flow statement that allows code to be executed repeatedly based on a given Boolean condition.

It is completed in 3 steps:

- Variable initialization.(e.g `int x = 0;`)
- condition(e.g `while(x <= 10)`)
- Variable increment or decrement (`x++` or `x--` or `x = x + 2`)





Example

Example: Program to print first 10 natural numbers

```
#include<stdio.h>

void main( )
{
    int x;
    x = 1;
    while(x <= 10)
    {
        printf("%d\t", x);
        /* below statement means, do x = x+1, increment x by 1*/
        x++;
    }
}
```

OUTPUT:


1 2 3 4 5 6 7 8 9 10



for loop



•for loop is used to execute a set of statements repeatedly until a particular condition is satisfied. We can say it is an **open ended loop**.



```
for(initialization; condition; increment/decrement)
{
    statement-block;
}
```




Conti...



The for loop is executed as follows:

- It first evaluates the initialization code.
- Then it checks the condition expression.
- If it is **true**, it executes the for-loop body.
- Then it evaluate the increment/decrement condition and again follows from step 2.
- When the condition expression becomes **false**, it exits the loop.



Conti...



```
#include<stdio.h>

void main( )
{
    int x;
    for(x = 1; x <= 10; x++)
    {
        printf("%d\t", x);
    }
}
```

OUTPUT:

```
1 2 3 4 5 6 7 8 9 10
```




Nested for loop



We can also have nested for loops, i.e one for loop inside another for loop. Basic syntax is,

```
for(initialization; condition; increment/decrement)
{
    for(initialization; condition; increment/decrement)
    {
        statement ;
    }
}
```



Conti...



```
#include<stdio.h>

void main( )
{
    int i, j;
    /* first for loop */
    for(i = 1; i < 5; i++)
    {
        printf("\n");
        /* second for loop inside the first */
        for(j = i; j > 0; j--)
        {
            printf("%d", j);
        }
    }
}
```

OUTPUT:

1

21

321

4321

54321



for loop vs while loop



FOR LOOP

WHILE LOOP

Initialization may be either in loop statement or outside the loop.

Initialization is always outside the loop.

Once the statement(s) is executed then after increment is done.

Increment can be done before or after the execution of the statement(s).

It is normally used when the number of iterations is known.

It is normally used when the number of iterations is unknown.

Condition is a relational expression.

Condition may be expression or non-zero value.

It is used when initialization and increment is simple.

It is used for complex initialization.

For is entry controlled loop.

While is also entry controlled loop.

```
for ( init ; condition ; iteration )  
{ statement(s); }
```

```
while ( condition )  
{ statement(s); }
```



do while loop



- In some situations it is necessary to execute body of the loop before testing the condition.
- Such situations can be handled with the help of do-while loop.
- do statement evaluates the body of the loop first and at the end the condition is checked using while statement.
- It means that the body of the loop will be executed at least once, even though the starting condition inside while is initialized to be **false**.



Conti...



```
do
{
    .....
    .....
}
while(condition)
```



Example



```
#include<stdio.h>

void main()
{
    int a, i;
    a = 5;
    i = 1;
    do
    {
        printf("%d\t", a*i);
        i++;
    }
    while(i <= 10);
}
```

OUTPUT:

```
5 10 15 20 25 30 35 40 45 50
```




Jumping Out of Loops



Sometimes, while executing a loop, it becomes necessary to skip a part of the loop or to leave the loop as soon as certain condition becomes **true**.

1) **break statement**


When break statement is encountered inside a loop, the loop is immediately exited and the program continues with the statement immediately following the loop.



Syntax



```
while( condition check )  
{  
    statement-1;  
    statement-2;  
    if( some condition )  
    {  
        break;  
    }  
    statement-3;  
    statement-4;  
}
```



Jumps out of the loop, no matter how many cycles are left, loop is exited.




2) continue statement



- It causes the control to go directly to the test-condition and then continue the loop process.
- On encountering continue, cursor leave the current cycle of loop, and starts with the next cycle.



STUDENT GRADING SYSTEM USING FOR LOOP



```
#include <stdio.h>
void main() {
    int numStudents, marks;

    // Ask for the number of students
    printf("Enter the number of students: ");
    scanf("%d", &numStudents);

    // Loop to process each student's marks
    for (int i = 1; i <= numStudents; i++) {
        printf("\nEnter the marks for student %d (0-100): ", i);
        scanf("%d", &marks);

        // Grading based on the marks
        if (marks >= 90)
        {
            printf("Grade for student %d: A\n", i);
        }
        else if (marks >= 75)
        {
            printf("Grade for student %d: B\n", i);
        }
        else if (marks >= 50)
        {
            printf("Grade for student %d: C\n", i);
        }
        else {
            printf("Grade for student %d: F\n", i);
        }
    }
}
```



Assessment 1



1. Write Applications of looping statements.

Ans : _____

2. Write about Looping statements?

Ans : _____





References



TEXT BOOKS

- 1.E.Balagurusamy, “Fundamentals of Computing and Computer Programming”, 2nd Edition Tata McGraw-Hill Publishing Company Limited, (2012). (UNIT – I, II, III, IV, V)
- 2.Ashok.N.Kamthane,“ Computer Programming”, Pearson Education (India) (2010). (UNIT –II, III IV, V)
- 3.Reema Thareja, “Programming in C”, 2nd Edition, Oxford University Press,(2015). (UNIT –I,II, III, IV, V)

REFERENCES

- 1.Byron Gottfried, “Programming with C”, 2nd Edition, (Indian Adapted Edition), TMH Publications, (2006). (Unit II, III, IV)
- 2.Stephan G kochan, “Programming in C” Pearson Education (2008), (UNIT II, III, IV, V)
- 3.P.Sudharson, “Computer Programming”, RBA Publications (2008), (UNIT I, II, III, IV)
- 4.Yashavant P. Kanetkar. “Let Us C”, BPB Publications, 2014.(Unit II, III, IV, V)
- 5.Anita Goel and Ajay Mittal, “Computer Fundamentals and Programming in C”, Dorling Kindersley (India) Pvt. Ltd., Pearson Education in South Asia, 2011. (UNIT – I, II, III, IV, V)

Thank You