

1. Two Sum

Given an array of integers `nums` and an integer `target`, return *indices of the two numbers such that they add up to target*.

You may assume that each input would have **exactly one solution**, and you may not use the *same* element twice.

You can return the answer in any order.

Example 1:

Input: `nums = [2,7,11,15]`, `target = 9`

Output: `[0,1]`

Explanation: Because `nums[0] + nums[1] == 9`, we return `[0, 1]`.

2. Matrix addition

Matrix addition involves adding two matrices element by element. This operation is only valid if both matrices have the same dimensions.

Input: Given two matrices `A[i][j]` and `B[i][j]`.

Output: Compute: `C[i][j]=A[i][j]+B[i][j]`

Example:

Let the number of rows and columns of matrix be : 2 2

The elements of the `A[i][j]`:

1 2

3 4

The elements of the `B[i][j]`:

5 6

7 8

Resultant matrix `C[i][j]` after addition:

6 8

10 12

3. Valid palindrome

A phrase is a palindrome if, after converting all uppercase letters into lowercase letters it reads the same forward and backward.

Given a string `s`, return `true` if it is a palindrome, or `false` otherwise.

Input: string `s= "madam"`

Output : `true`

Input: string `s= "hello"`

Output : `false`

4. Check If Two String Arrays are Equivalent

Given two string arrays word1 and word2, return true if the two arrays represent the same string, and false otherwise.

A string is represented by an array if the array elements concatenated in order forms the string.

Example 1:

Input :

word1 = {"ab", "c"} word2= {"a", "bc"}

Output: True The string arrays are equivalent.

Example 2:

Input: word1 = ["a", "cb"], word2 = ["ab", "c"]

Output: false . The string arrays are not equivalent

5. String Concatenation and String Length:

Input two strings s1 and s2. Concatenate two strings using strcat() and calculate the length of a string without using strlen().

6. Remove duplicates from sorted array

Given an integer array **nums** and an integer **val**, remove all occurrences of **val** in **nums** in-place. The order of the elements may be changed. Then return the number of elements in **nums** which are not equal to **val**.

Consider the number of elements in nums which are not equal to val be k, to get accepted, you need to do the following things:

Change the array nums such that the first k elements of nums contain the elements which are not equal to val. The remaining elements of nums are not important as well as the size of nums.

Return k.

Example:

Input: nums = [0,0,1,1,1,2,2,3,3,4]

Output: 5, nums = [0,1,2,3,4,_,_,_,_,_]]

Explanation: Your function should return k = 5, with the first five elements of nums being 0, 1, 2, 3, and 4 respectively.

It does not matter what you leave beyond the returned k (hence they are underscores).

7. Find First and Last Position of an Element in Sorted Array

Given an array of integers `nums` sorted in non-decreasing order, find the starting and ending position of a given target value.

If target is not found in the array, return `[-1, -1]`.

Example 1:

Input: `nums = [5,7,7,8,8,10]`, `target = 8`

Output: `[3,4]`

Example 2:

Input: `nums = [5,7,7,8,8,10]`, `target = 6`

Output: `[-1,-1]`

8. **Matrix multiplication**

Matrix multiplication involves multiplying two matrices. This operation is valid only when the **number of columns in the first matrix** equals the **number of rows in the second matrix**.

Example:

Input: Matrix A (2×3):

1 2 3

4 5 6

Matrix B (3 × 2):

7 8

9 10

11 12

Output:

Resultant matrix after multiplication:

58 64

139 154

9. **Remove element**

Given an integer array `nums` and an integer `val`, remove all occurrences of `val` in `nums` in-place. The order of the elements may be changed. Then return the number of elements in `nums` which are not equal to `val`.

Consider the number of elements in `nums` which are not equal to `val` be `k`, to get accepted, you need to do the following things:

Change the array `nums` such that the first `k` elements of `nums` contain the elements which are not equal to `val`. The remaining elements of `nums` are not important as well as the size of `nums`.

Return `k`.

Example:

Input: `nums = [0,1,2,2,3,0,4,2]`, `val = 2`

Output: 5, `nums = [0,1,4,0,3,_,_,_]`

Explanation: Your function should return $k = 5$, with the first five elements of `nums` containing 0, 0, 1, 3, and 4.

Note that the five elements can be returned in any order.

10. Plus one

You are given a large integer represented as an integer array `digits`, where each `digits[i]` is the i th digit of the integer. The digits are ordered from most significant to least significant in left-to-right order. The large integer does not contain any leading 0's.

Increment the large integer by one and return the resulting array of digits.

Example:

Input: `digits = [1,2,3]`

Output: `[1,2,4]`

Explanation: The array represents the integer 123.

Incrementing by one gives $123 + 1 = 124$.

Thus, the result should be `[1,2,4]`.

11. Find the maximum and minimum element in an array.

You are given an integer array, where each digit of the array is an integer. The digits are ordered from most significant to least significant in left-to-right order.

Print the largest and smallest element in the array

Example:

Input : The array = `[3, 1, 4, 1, 5, 9, 2, 6, 5]`

Output : Maximum = `[9]` Minimum = `[1]`

12. Calculate the sum of all elements in an array.

Initialize an array variable. A variable will hold the sum of the elements of an array. For each element in the array, add it to sum where sum will contain the total sum of the elements.

Example:

Input : The array = `[4, 5, 9, 1, 6, 5]`

Output : Sum = 30

13. Reverse an array.

Use two variables. One starts at the beginning ($left = 0$). The other starts at the end ($right = n - 1$). Swap the elements at these two pointers using a temporary variable. Move the pointers closer to the center: Increment left. Decrement right. Stop when the pointers meet or cross.

Example:

Original array: `[1 2 3 4 5]`

Reversed array: `[5 4 3 2 1]`

14. Search Insert Position

Given a sorted array of distinct integers and a target value, return the index if the target is found. If not, return the index where it would be if it were inserted in order.

Example 1:

Input: nums = [1,3,5,6], target = 2

Output: 1

Example 2:

Input: nums = [1,3,5,6], target = 7

Output: 4

15. Pascal's Triangle

Given an integer numRows, return the first numRows of Pascal's triangle.

Example:

Input : 5 as the numRows

Output: In Pascal's triangle, each number is the sum of the two numbers directly above it as shown:

```
1
1 1
1 2 1
1 3 3 1
1 4 6 4 1
```

16. Isomorphic Strings

Given two strings s and t, determine if they are isomorphic.

Two strings s and t are isomorphic if the characters in s can be replaced to get t.

All occurrences of a character must be replaced with another character while preserving the order of characters. No two characters may map to the same character, but a character may map to itself.

Example 1:

Input: s = "egg", t = "add"

Output: true

Explanation:

The strings s and t can be made identical by: Mapping 'e' to 'a'. Mapping 'g' to 'd'.

Example 2:

Input: s = "foo", t = "bar"

Output: false

17. Valid Anagram

Given two strings s and t, return true if t is an anagram of s, and false otherwise.

Example 1:

Input: s = "anagram", t = "nagaram"

Output: true

Example 2:

Input: s = "rat", t = "car"

Output: false

18. [Find Pivot Index](#)

Given an array of integers nums, calculate the **pivot index** of this array.

The **pivot index** is the index where the sum of all the numbers **strictly** to the left of the index is equal to the sum of all the numbers **strictly** to the index's right.

If the index is on the left edge of the array, then the left sum is 0 because there are no elements to the left. This also applies to the right edge of the array.

Return *the leftmost pivot index*. If no such index exists, return -1.

Example 1:

Input: nums = [1,7,3,6,5,6]

Output: 3

Explanation:

The pivot index is 3.

Left sum = $\text{nums}[0] + \text{nums}[1] + \text{nums}[2] = 1 + 7 + 3 = 11$

Right sum = $\text{nums}[4] + \text{nums}[5] = 5 + 6 = 11$

Example 2:

Input: nums = [1,2,3]

Output: -1

Explanation:

There is no index that satisfies the conditions in the problem statement.

19. Largest Number At Least Twice of Others

You are given an integer array nums where the largest integer is **unique**.

Determine whether the largest element in the array is **at least twice** as much as every other number in the array. If it is, return *the index of the largest element, or return -1 otherwise*.

Example 1:

Input: nums = [3,6,1,0]

Output: 1

Explanation: 6 is the largest integer.

For every other number in the array x , 6 is at least twice as big as x .

The index of value 6 is 1, so we return 1.

Example 2:

Input: `nums = [1,2,3,4]`

Output: -1

Explanation: 4 is less than twice the value of 3, so we return -1.

20. Max Consecutive Ones

Given a binary array `nums`, return *the maximum number of consecutive 1's in the array*.

Example 1:

Input: `nums = [1,1,0,1,1,1]`

Output: 3

Explanation: The first two digits or the last three digits are consecutive 1s. The maximum number of consecutive 1s is 3.

Example 2:

Input: `nums = [1,0,1,1,0,1]`

21. Reverse String

Write a function that reverses a string. The input string is given as an array of characters `s`.

You must do this by modifying the input array [in-place](#) with $O(1)$ extra memory.

Example 1:

Input: `s = ["h","e","l","l","o"]`

Output: `["o","l","l","e","h"]`

Example 2:

Input: `s = ["H","a","n","n","a","h"]`

Output: `["h","a","n","n","a","H"]`

22. To Lower Case

Given a string `s`, return the string after replacing every uppercase letter with the same lowercase letter.

Example 1:

Input: `s = "Hello"`

Output: `"hello"`

23. First Unique Character in a String

Given a string *s*, find the **first** non-repeating character in it and return its index. If it **does not** exist, return -1.

Example 1:

Input: *s* = "leetcode"

Output: 0

Explanation:

The character 'l' at index 0 is the first character that does not occur at any other index.

Example 2:

Input: *s* = "loveleetcode"

Output: 2

Example 3:

Input: *s* = "aabb"

Output: -1

24. **Palindrome Number**

Given an integer *x*, return true if *x* is a palindrome, and false otherwise.

Example 1:

Input: *x* = 121

Output: true

Explanation: 121 reads as 121 from left to right and from right to left.

Example 2:

Input: *x* = -121

Output: false

Explanation: From left to right, it reads -121. From right to left, it becomes 121-. Therefore it is not a palindrome.

25. **Power of Two**

Given an integer *n*, return *true* if it is a power of two. Otherwise, return *false*.

An integer *n* is a power of two, if there exists an integer *x* such that $n == 2^x$.

Example 1:

Input: *n* = 1

Output: true

Explanation: $2^0 = 1$

Example 2:

Input: n = 16

Output: true

Explanation: $2^4 = 16$

Example 3:

Input: n = 3

Output: false

26. Sqrt(x)

Given a non-negative integer x, return *the square root of x rounded down to the nearest integer*. The returned integer should be **non-negative** as well.

You **must not use** any built-in exponent function or operator.

For example, do not use `pow(x, 0.5)` in c++ or `x ** 0.5` in python.

Example 1:

Input: x = 4

Output: 2

Explanation: The square root of 4 is 2, so we return 2.

27. Add Digits

Given an integer num, repeatedly add all its digits until the result has only one digit, and return it.

Example 1:

Input: num = 38

Output: 2

Explanation: The process is

38 --> 3 + 8 --> 11

11 --> 1 + 1 --> 2

Since 2 has only one digit, return it.

Example 2:

Input: num = 0

Output: 0

28. Fizz Buzz

Given an integer n , return a *string array* `answer` (**1-indexed**) where:

`answer[i] == "FizzBuzz"` if i is divisible by 3 and 5.

`answer[i] == "Fizz"` if i is divisible by 3.

`answer[i] == "Buzz"` if i is divisible by 5.

`answer[i] == i` (as a string) if none of the above conditions are true.

Example 1:

Input: $n = 3$

Output: ["1", "2", "Fizz"]

Example 2:

Input: $n = 5$

Output: ["1", "2", "Fizz", "4", "Buzz"]

Example 3:

Input: $n = 15$

Output:

["1", "2", "Fizz", "4", "Buzz", "Fizz", "7", "8", "Fizz", "Buzz", "11", "Fizz", "13", "14", "FizzBuzz"]

29. Hamming Distance

The [Hamming distance](#) between two integers is the number of positions at which the corresponding bits are different.

Given two integers x and y , return *the Hamming distance between them*.

Example 1:

Input: $x = 1, y = 4$

Output: 2

Explanation:

1 (0 0 0 1)

4 (0 1 0 0)

↑ ↑

The above arrows point to positions where the corresponding bits are different.

Example 2:


Input: $x = 3, y = 1$

Output: 1

30. Check If It Is a Straight Line

You are given an array `coordinates`, `coordinates[i] = [x, y]`, where `[x, y]` represents the coordinate of a point. Check if these points make a straight line in the XY plane.

Example 1:



Input: `coordinates = [[1,2],[2,3],[3,4],[4,5],[5,6],[6,7]]`

Output: `true`