



SNS COLLEGE OF ENGINEERING

Kurumbapalayam (Po), Coimbatore – 641 107



An Autonomous Institution

Accredited by NBA – AICTE and Accredited by NAAC – UGC with 'A' Grade

Approved by AICTE, New Delhi & Affiliated to Anna University, Chennai

DEPARTMENT OF ARTIFICIAL INTELLIGENCE AND DATA SCIENCE

COURSE NAME : 23ITT101- PROBLEM SOLVING & C PROGRAMMING

I YEAR /I SEMESTER

Unit 4- Functions

Topic 4: Parameter passing: Pass by value - Pass by reference



Brain Storming



1. How perform string manipulation operations?



Call by value (Pass by value)



- The parameters passed to function are called **actual parameters** whereas the parameters received by function are called **formal parameters**.

//Invoke (call) the method

```
int number1 = 25;  
int number2 = 47;  
int sum = add(number1, number2);
```

actual parameters
(or arguments)

//Method definition

```
public int add(int x, int y)  
{  
    return (x + y);  
}
```

formal parameters



Conti...



- The call by value method of passing arguments to a function copies the actual value of an argument into the formal parameter of the function.

In this case, changes made to the parameter inside the function have no effect on the argument.



```
#include <stdio.h>

// Function Prototype
void swapx(int x, int y);

// Main function
int main()
{
    int a = 10, b = 20;

    // Pass by Values
    swapx(a, b);

    printf("a=%d b=%d\n", a, b);

    return 0;
}

// Swap functions that swaps
// two values
void swapx(int x, int y)
{
    int t;

    t = x;
    x = y;
    y = t;

    printf("x=%d y=%d\n", x, y);
}
```

Conti...



Output:

```
x=20 y=10
a=10 b=20
```

Thus actual values of a and b remain unchanged even after exchanging the values of x and y.

In call by values we cannot alter the values of actual variables through function calls.

Values of variables are passes by Simple technique.



Call by reference (Pass by reference)



- The call by reference method of passing arguments to a function copies the address of an argument into the formal parameter. Inside the function, the address is used to access the actual argument used in the call. It means the changes made to the parameter affect the passed argument.



```
#include <stdio.h>

// Function Prototype
void swapx(int*, int*);

// Main function
int main()
{
    int a = 10, b = 20;

    // Pass reference
    swapx(&a, &b);

    printf("a=%d b=%d\n", a, b);

    return 0;
}

// Function to swap two variables
// by references
void swapx(int* x, int* y)
{
    int t;

    t = *x;
    *x = *y;
    *y = t;

    printf("x=%d y=%d\n", *x, *y);
}
```

Conti...



Output:

```
x=20 y=10
a=20 b=10
```

Thus actual values of a and b get changed after exchanging values of x and y.

In call by reference we can alter the values of variables through function calls.

Pointer variables are necessary to define to store the address values of variables.



Assessment 1



1. Write about call by value and call by reference ?

Ans : _____





References

1. Reema Thareja, “Programming in C”, Oxford University Press, Second Edition, 2016

Thank You